Contents

3. PHYSICAL PROPERTIES

The breaking torque concept in a sintered LaSrCuO sample 1
L. Fruchter (Orsay, France), C. Giovannella (Rome, Italy) and I. A. Campbell (Orsay, France)

Study of laser-deposited $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films by Rutherford backscattering, X-ray photoemission and X-ray Auger spectroscopies 13
F. Roche, A. Balzarotti, M. DeCrescenzi, N. Motta, M. Sastry, F. Patella (Rome, Italy), J. Perriere, F. Kerherve and G. Hauchecorne (Paris, France)

Scanning Auger microscopy as applied to the analysis of highly textured $YBaCu_3O_x$ thin films 23
E. G. Keim (Enschede, The Netherlands), J. Halbritter (Karlsruhe, F.R.G.), B. Häuser and H. Rogalla (Enschede, F.R.G.)

Raman characterization of a $Bi_2Sr_2CaCu_2O_8$ superconductor crystal and related compounds 31
J. Sapriel, L. Pierre, D. Morin, J. C. Toledano, J. Schneck, H. Savary, J. Chavignon, J. Primot, C. Daguet, J. Etrillard (Bagneux, France) and H. Boyer (Longjumeau, France)

Critical currents and magnetic relaxation of epitaxial $YBa_2Cu_3O_{7-\delta}$ films 39
R. Griessen, C. F. J. Flipse, C. W. Hagen, J. Lensink (Amsterdam, The Netherlands), B. Dam and G. M. Stollman (Eindhoven, The Netherlands)

Scaling in superconducting ceramics 49
P. Peyral, C. Lebeau, J. Rosenblatt, A. Raboutou, C. Perrin, O. Peña and M. Sergent (Rennes, France)

High T_c superconductors in the system Bi–Pb–Sr–Ca–Cu–O 55
A. Ehmann, S. Kemmler-Sack, R. Kiemel, S. Lösch, W. Schäfer, M. Schlichenmaier (Tübingen, F.R.G.), L. Kan, B. Elschner (Darmstadt, F.R.G.), R. Gross, K. Hipler, R. P. Huebener (Tübingen, F.R.G.), S. Döttinger, W. Forkel, C. Schöll (Stuttgart, F.R.G.), H. R. Khan and Ch. J. Raub (Schwäbisch Gmünd, F.R.G.)

Microstructure and properties of Bi–Ca–Sr–Cu–O superconductors 63
J. H. P. M. Emmen, V. A. M. Brabers, W. J. M. De Jonge, C. V. D. Steen, J. H. J. Dalderop, P. M. A. Geppaart and K. Kopinga (Eindhoven, The Netherlands)

Surface resistance of polycrystalline high T_c superconductors between 3 and 90 GHz ... 71
M. Hein, G. Müller, H. Piel (Wuppertal, F.R.G.), U. Klein and M. Peiniger (Bergisch-Gladbach, F.R.G.)

Influence of the a.c. and d.c. electrical current density on the normal–superconductor transition in high-temperature superconductors 77
J. A. Veira, G. Domarco, J. Maza, F. Miguélez, J. J. Ponte, C. Torrón, F. Vidal (Santiago de Compostela, Spain), J. Amador, M. T. Casais, C. Cascales, A. Castro, M. de Pedro and I. Rasines (Madrid, Spain)

Critical currents and dissipation in bulk $YBa_2Cu_3O_7$ 83
R. Meisels, S. Bungre and A. D. Caplin (London, U. K.)

Critical currents in high-quality YBaCuO ceramics investigated by magnetization, a.c. susceptibility and electrical transport 89
E. Babić, D. Drobac, J. Horvat, Ž. Marohnić and M. Prester (Zagreb, Yugoslavia)

Glass behavior and power dissipation in HTSC near the transition point 97
P. G. Vassilev and M. Marinova (Sofia, Bulgaria)

© Elsevier Sequoia/Printed in The Netherlands

Effect of oxygen concentration on the superconducting transition of $YBa_2Cu_3O_{7-x}$ in high magnetic fields 103
G. Fuchs, A. Gladun, R. Mueller, M. Ritschel, G. Krabbes, P. Verges and H. Vinzelberg (Dresden, G.D.R.)

Structural, electrical and magnetic properties of aluminium-, gallium- and iron-substituted $YBa_2Cu_3O_{7-\delta}$ 109
R. Suryanarayanan, G. T. Bhandage, M. Rateau, O. Gorochov, H. Pankowska, A. M. Ghorayeb, G. Villers and C. Vard (Meudon, France)

X-ray photoelectron spectroscopy of Y–Ba–Cu–O thin films 115
H. Guyot and R. Cinti (Grenoble, France)

Temperature effects on the phonon spectrum in $YBa_2Cu_3O_7$ single crystals and thin films 125
R. Feile, P. Leiderer (Mainz, F.R.G.), J. Kowalewski, W. Assmus (Frankfurt, F.R.G.), J. Schubert and U. Poppe (Jülich, F.R.G.)

Characterization of Bi–Sr–Ca–Cu–O superconducting materials by Raman spectroscopy 133
P. V. Huong, O.-K. Eunok (Talence, France), H.-K. Keu, K. Don and S.-C. Jae (Seoul, Korea)

Raman and IR studies on the superconducting Bi–Sr–Ca–Cu–O system 139
E. Faulques (Nantes, France), M. Matus, H. Kuzmany (Vienna, Austria) and P. Knoll (Graz, Austria)

Optical reflectance and magnetic susceptibility measurements of inter- and intragrain properties of polycrystalline YBaCuO and BiSrCaCuO 147
W. Lang and W. Markowitsch (Vienna, Austria)

Acoustic measurements on high-T_c superconductors in the systems Y–Ba–Cu–O and Bi,Pb–Sr–Ca–Cu–O 153
P. Lemmens, F. Stellmach, J. Wynants, S. Ewert (Templergraben, F.R.G.), A. Comberg, H. Passing and G. Marbach (Aachen, F.R.G.)

Anisotropic transport properties of $Y_1Ba_2Cu_3O_{7-x}$ and $Bi_2Sr_2CaCu_2O_y$ single crystals.. 159
E. Schweiger, G. Leising, K. Roth, O. Leitner, H. Kahlert and P. Pölt (Graz, Austria)

Rounding of the electrical resistivity near T_c of various high-temperature superconductors 165
F. Vidal, J. A. Veira, C. Torrón, J. J. Ponte, F. Miguélez, J. Maza, G. Domarco (Santiago de Compostela, Spain), J. Amador, M. T. Casais, C. Cascales, A. Castro, M. de Pedro and I. Rasines (Madrid, Spain)

A magnetic study of polycrystalline $Bi_2Sr_{1.5+x}Ca_{1.5-x}Cu_2O_{8+\delta}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ high-T_c superconductors 171
M. Rosenberg, W. Chojetzki, M. Mittag, R. Job, R. Wernhardt, H. Bach and P. Stauche (Bochum, F.R.G.)

Specific heat of Bi–Ca–Si–Cu–O below 1 K 177
C. Gang, W. Schram, R. W. van der Heijden, A. T. A. M. de Waele, H. M. Gijsman, J. H. P. M. Emmen, K. Kopinga and V. A. M. Brabers (Eindhoven, The Netherlands)

Effect of hydrogen on high-T_c superconducting ceramics 183
J. N. Daou, M. Nicolas, J. P. Burger, P. Vajda, J. Lesueur and L. Dumoulin (Orsay, France)

Low-temperature specific heat of $Bi_2Sr_2CaCu_2O_8$: comparison with some other layered oxides 191
J. M. D. Coey, S. von Molnar and A. Torressen (Yorktown Heights, NY, U.S.A.)

Hydrogen absorption in single-crystal $Bi_2Sr_2CaCu_2O_8$ and its effect on superconductivity 195
J. M. D. Coey, X. Z. Wang, K. Donnelly and J. F. Lawler (Dublin, Ireland)

4. MATERIALS, SINGLE CRYSTALS, PHASE DIAGRAMS

Crystal growth of oxide superconductors 199
H. J. Scheel (Lausanne, Switzerland)

Structural and physical properties of the tetragonal superconductors $LaBaACu_3O_{7-\delta}$ (A = Ca and Sr) 213
W. T. Fu, H. W. Zandbergen, C. J. van der Beek, A. A. Verheijen, L. J. de Jongh (Leiden, The Netherlands) and V. A. M. Brabers (Eindhoven, The Netherlands)

Transport properties of BiSrCaCuO and YBaCuO 221
A. M. Ghorayeb, M. Rateau, H. Pankowska, R. Suryanarayanan and O. Gorochov (Meudon, France)

Oxygen transport in superconducting ceramic $YBa_2Cu_3O_7$ and $(BiO_2)Sr_2Ca_{n-1}Cu_nO_{2n+2}$ samples 229
X. Turrillas, J. A. Kilner, I. Kontoulis and B. C. H. Steele (London, U.K.)

Passivation of $YBa_2Cu_3O_{7-\delta}$ single crystals by fluorination treatments 237
A. Tressaud, J. P. Chaminade, K. Amine, L. Nganga, J. M. Dance, M. Lahaye, J. P. Bonnet, B. Chevalier, J. Etourneau (Talence, France) and R. Tournier, (Grenoble, France)

High-resolution lattice images of $ErBa_2Cu_3O_x$ and $Bi_2Sr_2CaCu_2O_x$ observation at 4.2 K 243
H. Yoshida (Osaka, Japan), Y. Yokota, H. Hashimoto (Okayama, Japan), M. Iwatsuki and Y. Harada (Tokyo, Japan)

5. THIN FILMS

High T_c YBaCuO and BiSrCaCuO superconducting thin films deposited by pulsed excimer laser evaporation 249
E. Fogarassy, C. Fuchs, J. P. Stoquert, P. Siffert (Strasbourg, France), J. Perrière and F. Rochet (Paris, France)

Plasma oxidation of high T_c superconducting thin films 257
H.-U. Habermeier, W. Ebert, S. Kalt, G. Wagner and G. Mertens (Stuttgart, F.R.G.)

Characterization of sputtered YBaCuO and SmBaCuO thin films: structural properties and role of thermal treatment 263
C. Escribe-Filippini, P. L. Reydet, J. Marcus and M. Brunel (Grenoble, France)

High J_c thin films of $YBa_2Cu_3O_7$ 271
R. G. Humphreys, J. S. Satchell, N. G. Chew, J. A. Edwards, A. G. Cullis and O. D. Dosser (Malvern, U.K.)

Direct production and properties of sputtered epitaxial $YBa_2Cu_3O_7$ thin and ultrathin films on (100) and (110) $SrTiO_3$ 277
H. Schubert, U. Poppe and W. Sybertz (Jülich, F.R.G.)

Low temperature preparation of superconducting $YBa_2Cu_3O_x$ thin films on $LiNbO_3$, silicon and $SrTiO_3$ by r.f.-magnetron sputtering 287
H. Schmidt, R. Bruchhaus, O. Eibl, W. Hoesler (Munich, F.R.G.), L. Hofmann (Garching, F.R.G.), W. Holubarsch and G. Zorn (Munich, F.R.G.)

Channelling behaviour of epitaxial $YBa_2Cu_3O_7$ films with various orientations 295
Q. Li, F. Weschenfelder, O. Meyer, X. X. Xi, G. Linker and J. Geerk (Karlsruhe, F.R.G.)

Preparation of high-T_c YBaCuO thin films on YSZ and silicon substrates by r.f.-magnetron sputtering 303
D. Dubreuil, G. Garry, Y. Lemaître, L. Rogier and D. Dieumegard (Orsay, France)

Preparation and characterization of YBCO thin films on silicon 311
J. Tate, P. Berberich, W. Dietsche and H. Kinder (Garching, F.R.G.)

Co-evaporated Y–Ba–Cu–O thin films on sapphire substrates 317
H. Ohlsén, J. Hudner and L. Stolt (Kista, Sweden)

High critical currents and flux creep effects in superconducting $YBa_2Cu_3O_{7-\delta}$ films e-gun deposited using a BaF_2 source 325
P. H. Kes, P. Berghuis, S. Q. Guo (Leiden, The Netherlands), B. Dam and G. M. Stollman (Eindhoven, The Netherlands)

Preparation of YBaCuO superconducting thin films with zero resistance at 85 K by multilayer deposition on sapphire substrates 333
D. Chambonnet, C. Fages, C. Belouet (Marcoussis, France) and D. Ravot (Meudon, France)

Preparation of thin $YBa_2Cu_3O_{7-\delta}$ layers on various substrates ($LiNbO_3$, MgO, $SrTiO_3$) by d.c.-magnetron sputtering 341
A. Höhler, H. Neeb (Giessen, F.R.G.) and C. Heiden (Jülich, F.R.G.)

Preparation, microwave and magnetic field response of YBaCuO thin film microbridges. 345
B. Häuser, B. B. G. Klopman and H. Rogalla (Enschede, The Netherlands)

Preparation of $YBa_2Cu_3O_{7-x}$ thin films by inverted cylindrical magnetron sputtering .. 349
X. X. Xi, G. Linker, O. Meyer and J. Geerk (Karlsruhe, F.R.G.)

The growth of YBaCuO thin films on various substrates as a function of deposition temperature 357
G. Linker, X. X. Xi, O. Meyer, Q. Li and J. Geerk (Karlsruhe, F.R.G.)

Characterization of YBaCuO films by a.c. susceptibility measurements..... 363
Ch. Neumann and P. Ziemann (Konstanz, F.R.G.), J. Geerk and H. C. Li (Karlsruhe, F.R.G.)

Magnetization and hysteresis properties of superconducting $YBa_2Cu_3O_{7-x}$ thin films... 369
C.-J. Liu, R. Buder, C. Escribe-Filippini, J. Marcus, P. L. Reydet and C. Schlenker (Grenoble, France)

Resputtering effects in sputtered $Y_1Ba_2Cu_3O_{7-\delta}$ films 377
G. Springholz, P. Pölt, K. Aichholzer, R. Abt, G. Leising, O. Leitner and P. Kranebitter (Graz, Austria)

Superconducting transitions in BiPbSrCaCuO: thin films and ceramics..... 385
H. Raffy, J. Arabski, A. Vaurès (Orsay, France), P. Tremblay (Paris, France), S. Megtert, R. Reich and P. Monod (Orsay, France)

Superconducting Bi(Pb)–Ca–Sr–Cu–O films and bulk samples made by thermal decomposition of metal carboxylates..... 393
M. Klee, G. Marbach, S. Stotz (Aachen, F.R.G.) and J. W. C. De Vries (Eindhoven, The Netherlands)

High T_c superconducting films prepared by pyrolysis of an ultrasonic-generated aerosol..... 399
M. Langlet, E. Senet, J. L. Deschanvres, G. Delagouglise, F. Weiss and J. C. Joubert (Saint Martin d'Hères, France)

Single-step preparation of $YBa_2Cu_3O_{7-x}$ superconducting thin films by laser ablation .. 407
J. Fröhlingsdorf, W. Zander and B. Stritzker (Jülich, F.R.G.)

Superconducting properties of laser evaporated epitaxial Y–Ba–Cu–O thin films..... 413
B. Roas, L. Schultz and G. Endres (Erlangen, F.R.G.)

The preparation of YBCO thin films by a four ion beam co-deposition system 419
S. Michel, J. H. James, B. Dwir, M. Affronte, B. Kellett and D. Pavuna (Lausanne, Switzerland)

Superconducting properties of $YBa_2Cu_3O_{7-x}$ thin films deposited on silicon covered by epitaxial stabilized ZrO_2..... 429
J. C. Bruyère, J. Pluta, M. Brunel, P. Muret (Grenoble, France), C. Schwebel and G. Gautheri (Orsay, France)

Electron tunnelling and critical current behaviour of patterned $Y_1Ba_2Cu_3O_{7-\delta}$ films... 435
M. A. M. Gijs, B. Dam, M. G. J. Heijman and Th. A. W. van Elswijk (Eindhoven, The Netherlands)

Nature of the granular structure in low-temperature helium-irradiated YBaCuO thin films 443
P. Nédellec, J. Lesueur, A. Traverse, H. Bernas, L. Dumoulin (Orsay, France) and R. B. Laibowitz (Yorktown Heights, NY, U.S.A.)

Screen-printed superconducting Bi–Ca–Sr–Cu–O thick films on ceramic substrates 451
J. Levoska, A. Uusimäki, J. Hagberg, T. Kokkomäki, T. Murtoniemi, R. Rautioaho and S. Leppävuori (Oulu, Finland).

6. APPLICATIONS

The development of SQUID magnetometers using bulk ceramic superconductors 461
C. E. Gough, M. S. Colclough, S. P. Harrop, M. N. Keene and C. M. Muirhead (Birmingham, U.K.)

Conception and operation of a Meissner–Ochsenfeld effect motor with high T_c superconductors 473
E. Bochenek, R. Fischer and H. Voigt (Frankfurt, F.R.G.)

A non-vacuum, room-temperature process for the application of solderable contacts to ceramic high-T_c superconductors 481
A. Lorenz, E. Bochenek, R. Fischer and R. Schneider (Frankfurt, F.R.G.)

AUTHOR INDEX 487

SUBJECT INDEX 491